
Lecture 8

Equilibrium

Pre-reading: KJF §8.1 and 8.2

Archimedes' Lever Rule



At equilibrium (and with forces 90° to lever):

$$r_1F_1=r_2F_2$$

General Lever Rule

For general angles

 $r_1F_1\sin\theta_1=r_2F_2\sin\theta_2$

We call $rF\sin\theta = \tau$ torque

S.I. unit of torque: newton metre (Nm)

At equilibrium, the magnitude of torques exerted at each end of lever are equal

KJF §7.2

What is torque?

Crudely speaking, torque is "twisting or turning ability" of a force that can:

- change the angular velocity of an object (i.e. speed up or slow down rotation)
- · cause a twisting or bending distortion of an object

A force with a "line of action" that does not cross the axis of rotation results in torque.


Note:

- torque is measured about a particular point. Usually this will be a hinge, pivot or axis
- torque has a sign. All forces that tend to rotate the object in the same direction produce torque with the same sign

Calculating torque (1)

Example: Calculate torque on lever exerted by hand:

Choose a sign convention (e.g. anti-clockwise +ve), then decide in which direction force is pulling or pushing lever. Write that sign in front of your answer.



Method 1:

If you're given r and θ , use formula for torque (magnitude) $\tau = r \; F \; sin\theta$

(Note: $\sin\theta = \sin\phi$, \therefore it doesn't matter which angle you use)

Calculating torque (2)

line of action

Method 2:

If you're given d the "perpendicular distance" from axis to the "line of action", then use formula

 $\tau = d F$

If the "line of action" crosses the axis (i.e. d = 0) then $\tau = 0$

7

Opening a door

- If r is perpendicular to F, then torque $\tau = r F$
- If r is not perpendicular to F, then torque $\tau = r F \sin\theta$ where θ is the angle between r and F



- What happens if you push in the middle of the door; do you need more or less force? Why?
- What happens if you push along a line passing through axis of rotation? Explain.

8

Problem

The length of a bicycle pedal arm is r = 0.152 m, and a downward force of F = 111 N is applied by the foot.

What is the magnitude of torque about the pivot point when the angle θ between the arm & vertical is;

(a) 30.0°?

(b) 90.0°?

(c) 180.0°?

[8.44 Nm, 16.9 Nm, 0.00 Nm]

Adding up Torques


We will only consider torques acting in 2D (flat on page)

- Choose a sign convention (e.g. anti-clockwise is positive).
- Choose the rotation axis around which to calculate torque (unless it's already given).
- · Draw the line of action for each force
- For each force, calculate the resulting torque (including sign).
- · Add up all the torques.

KJF §7.2, see p. 214

$F_1 \longleftarrow$ F_2

Adding up Torques: Example



torque 1; $\underline{\tau}_1 = -rF_1 \sin\theta = -0.5 \times 10 \times \sin 30 = -2.50 \text{ Nm}$ torque 2; $\underline{\tau}_2 = +mgd = 1 \times 9.8 \times 0.25 = +2.45 \text{ Nm}$ \therefore net torque = $\underline{\Sigma}\underline{\tau} = \underline{\tau}_1 + \underline{\tau}_2 = 2.45 + (-2.50) = -0.05 \text{ Nm}$ (i.e. clockwise)

12

12

EQUILIBRIUM

KJF §8.1, 8.2

13

Conditions for Equilibrium

For an object to be in static equilibrium

• $\sum \underline{F} = 0$ no net force $\Rightarrow \sum F_x = 0, \sum F_y = 0$

• $\Sigma \underline{\tau} = 0$ no net torque

Because this is true for *all* pivot points, we are free to choose any point we like for calculating the torque

⇒ choose point where some torques disappear

KJF §8.1

Hints for Statics Problems

Usually you're given some forces on a static body & need to find unknown forces or torques.

- · Draw a diagram!
- · Decide on system
- Put in forces ON system only
- · All forces in mechanics are either contact or gravity
- · Define sign conventions

...

Solving Static Equilibrium Problems

- · Decide on the "system"
- Choose a rotational axis and sign convention

 Best to choose one that causes some torques to disappear

 Remember nothing is rotating anyway so you're free to choose the axis.
- Calculate all horizontal components of forces acting on the system and write equation ΣE_h = 0.
- Calculate all vertical components of forces acting on the system and write equation $\Sigma \underline{F}_v = 0$.

Assume each object's weight force is acting at its centre of mass.

- Calculate all torques and write equation $\Sigma \underline{\tau} = 0$. Remember that all external forces are possible sources of torque
- Solve the equations simultaneously.

F §8.1


16

Example

A 65 kg woman is horizontal in a push-up position.

What are the vertical forces acting on her hands and her feet?

[hands 420 N, feet 210 N]



No net torque ∴ equilibrium.

Example 2

The "system" is the ass, the cart and the cargo.

Here the cargo is loaded correctly.

Whatever rotation axis is chosen, there's always some normal forces opposing the torque due to the total system weight (treated as though it lies at the centre of mass)

Woohoo!)

C of M N_1 N_2 W N_3

18


But...

Too much cargo is loaded at the back.

If the wheel is chosen as the rotation axis, all resulting torques are acting in the clockwise direction.

There is no torque opposing the torque due to the weight of the system, hence there is a net clockwise torque.

The system will rotate until the cart hits the ground. The donkey will be lifted off N








Types of Equilibrium


Neutral: with a small displacement, remains at new position.


Stable: with a small displacement, returns to original position.


Unstable: with a small displacement, continues to move away from equilibrium position.

KJF §8.2









NEXT LECTURE

Momentum, impulse and energy

Read: KJF §9.1, 9.2

27